

L Number	Hits	Search Text	DB	Time stamp
10	6	("6446254" "6275978" "6507812" ).pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 09:20
11	503	717/100	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 09:20
12	107	717/166	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 09:20
13	11	717/100 and (resource adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 09:20
-	2	6025836.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/20 09:12
-	6	6025836.URPN.	USPAT	2004/09/15 17:32
-	143	koff.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 08:36
-	52	mccollom.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 08:35
-	13	koff.in. and local\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 08:38
-	3	koff.in. and java	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 08:45
-	5	reflection same (class adj load\$3) same (localiz\$5 or language or foreign or international\$7 or multi-lingual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 08:53
-	76	reflection and (class adj load\$3) and (localiz\$5 or language or foreign or international\$7 or multi-lingual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 08:59
-	41	reflection and (class adj load\$3) and (localiz\$5 or foreign or international\$7 or multi-lingual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 08:59

-	1	reflection and (class adj load\$3) same (localiz\$5 or foreign or international\$7 or multi-lingual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 09:00
-	5	reflection same (class adj load\$3) and (localiz\$5 or foreign or international\$7 or multi-lingual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:21
-	7	(class adj load\$3) same (localiz\$5 or foreign or internationalization or multi-lingual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 09:08
-	0	6584612.URPN.	USPAT	2004/09/16 09:04
-	8	("5893118"   "5966542"   "5966702"   "6092147"   "6167253"   "6305009"   "6349344"   "6470494").PN.	USPAT	2004/09/16 09:05
-	167	(java or bytecode or byte-code or (byte adj code) ) same (localiz\$5 or foreign or internationalization or multi-lingual) and resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 09:09
-	41	(java or bytecode or byte-code or (byte adj code) ) same (localiz\$5 or foreign or internationalization or multi-lingual) same resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 09:11
-	62	(java or bytecode or byte-code or (byte adj code) ) same (localiz\$5 or foreign or internationalization or multi-lingual) same resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:01
-	3	6275790.URPN.	USPAT	2004/09/16 09:19
-	0	6782529.URPN.	USPAT	2004/09/16 09:20
-	9	("5613122"   "5664206"   "5835918"   "5974372"   "6275790"   "6311151"   "6466900"   "6490547"   "6567973").PN.	USPAT	2004/09/16 09:20
-	1	6275978.URPN.	USPAT	2004/09/16 09:25
-	16	("5222160"   "5500881"   "5613122"   "5630131"   "5652884"   "5664206"   "5678039"   "5687366"   "5748961"   "5873111"   "5907326"   "5917484"   "5953526"   "5963924"   "6111572"   "6119079").PN.	USPAT	2004/09/16 09:25
-	5	(java or bytecode or byte-code or (byte adj code) ) same (localiz\$5 or foreign or internationalization or multi-lingual) same reflection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:02
-	295	(java or bytecode or byte-code or (byte adj code) ) same reflection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:17
-	56	(java or bytecode or byte-code or (byte adj code) ) same reflection and (class adj load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:02
-	13	(java or bytecode or byte-code or (byte adj code) ) same reflection same (class adj load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:09

-	20	(java or bytecode or byte-code or (byte adj code) ) and reflection same (class adj load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:20
-	7	( (java or bytecode or byte-code or (byte adj code) ) and reflection same (class adj load\$3) ) not ( (java or bytecode or byte-code or (byte adj code) ) same reflection same (class adj load\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:18
-	11	reflection near5 (startup or start-up or (start adj up))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:19
-	1911	reflection near5 (load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:20
-	129	(java or bytecode or byte-code or (byte adj code) ) and reflection same (load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:21
-	57	(java or bytecode or byte-code or (byte adj code) ) and reflection near5 (load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:21
-	1071	(reflection same load\$3) and (localiz\$5 or foreign or international\$7 or multi-lingual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:59
-	102	(reflection near5 load\$3) and (localiz\$5 or foreign or multi-lingual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:22
-	3	(reflection near5 load\$3) same (localiz\$5 or foreign or multi-lingual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:22
-	23	(java or bytecode or byte-code or (byte adj code) ) same reflection near5 (load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:27
-	30	((reflection near5 load\$3) and (localiz\$5 or foreign or multi-lingual) ) and ( (java or bytecode or byte-code or (byte adj code) ) and reflection near5 (load\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 10:27
-	2	(reflection same load\$3) and (localiz\$5 or foreign or international\$7 or multi-lingual) and (resource adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:03
-	10393	(reflection same load\$3) (resource adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:03

-	1248	(reflectionnear5 load\$3) and (resource adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:03
-	1	(reflection near5 load\$3) and (resource adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:03
-	59	(reflection and load\$3) and (resource adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:14
-	3	reflection and ( load\$3 near5 (resource adj file) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:16
-	71	( load\$3 near5 (resource adj file) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:41
-	295	(java or bytecode or byte-code or (byte adj code) ) same reflection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:17
-	1	(( load\$3 near5 (resource adj file) ) ) and ( (java or bytecode or byte-code or (byte adj code) ) same reflection )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:17
-	22	( load\$3 near5 (resource adj file) ) and (.java or .net or java or bytecode or byte-code or (byte adj code) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:30
-	2	(custom near3 loader) and ( load\$3 near5 (resource adj file) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:43
-	37	custom near3 loader	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:43
-	21	custom near3 (class adj loader)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:53
-	27	custom\$7 near3 (class adj loader)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:56
-	6	(custom\$7 near3 (class adj loader) ) not (custom near3 (class adj loader) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:53

-	2	derived near3 (class adj loader)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 11:58
-	119	(defin\$3 or instantiat\$3 or new) near5 (class adj loader)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 12:20
-	9	(class adj loader).ti. and sun.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/16 12:21
-	18	("5727147"   "5815718"   "5950008"   "5966542"   "6085030"   "6202208"   "6223346"   "6266716"   "6279030"   "6339841"   "6374286"   "6430564"   "6430570"   "6442565"   "6496871"   "6507946"   "6513155"   "6519594").PN.	USPAT	2004/09/16 12:22